Two Speed "Porta-Band" Saw 4.5 and 6.5 amp AC/DC motor;

No load speed: 195 SFPM

Capacity: 3 3/8" dia. round,

3 3/8" x 4 1/8" rectangular

Standard equipment includes:

18T bi-metal blade #45277, blade wax #44914,

gear lubricant #48105 and operating manual

low, 245 SFPM high

Shipping wt. 20 lbs

Model 725

PORTER+CABLE PROFESSIONAL POWER TOOLS

None of the portable power tools from Metco are budget quality; they are only the best, because they are all Porter Cable.

We are as serious about selling our customers the best quality power tools as Porter Cable is in building them. We offer competitive prices and fast, courteous customer service and delivery, in addition to the quality Porter Cable designs into each power tool. So, if you care about purchasing quality power tools at fair prices and with reliable order service, call us. We think you will find that Porter Cable and Metco do have the best tools in the business!


Saws

Model 314H

- 4 1/2" Trim Saw
- 4.5 amp AC/DC motor; 4,500 RPM; 3/8" arbor
- Capacity: 45 deg-1 1/16", 90 dea-1 5/16" Standard equipment includes:
- 20T carbide-tipped riptide blade #12870, blade wrench #48317, knob #857990 and operating manual
- Shipping wt. 8 lbs.

Model 324MAG \$150.55 / Ea 7-1/4" Quik-Change Blade-Right Mag-Saw Kit

Agrgressive cuts with a 15 amp motor at 5,800 rpm



\$284.65 / Ea

- stop at 45 degrees Standard equipment: saw, 18t carbide tipped riptide blade #12800, case #907834, and operating manual
- Shipping wt. 17 lbs.

Model 325MAG \$184.25 / Ea 7-1/4" Quik-Change Blade-Right Mag-Saw Kit with Electric Brake

- Same as Model 324MAG but also with an electric brake
- Shipping wt. 17 lbs.



Model 423MAG \$150.55 / Ea 7-1/4" Quik-Change Blade-Left Mag-Saw Kit

- Agrgressive cuts with a 15 amp motor at 5,800 rpm Versatility with its 0-50 degree
- miter capacity and a positive stop at 45 degrees
- Standard equipment: saw, 18t carbide tipped riptide blade #12801, case #907834, and operating manual
- Shipping wt. 17 lbs.



- Same as Model 423MAG but also with an electric brake
- Shipping wt. 17 lbs.



\$381.75 / Ea

\$198.25 / Ea

Heavy Duty VS Bayonet Saw 3.5 amp motor; 0 - 4,500 SPM;

7/16" orbital strokes Standard equipment includes: #548 Saw, #48245 allen wrench,

Circle" base insert. #48105

Model 548



gear lubricant and operating manual Shipping wt. 8 lbs.

Model 9543 "Quik-Change" Jig Saw Kit


- 6 amp, AC only
- Standard equipment: saw #9543, blade #12701, non-marring base insert for delicate surfaces #39195, anti-splinter base insert #39196, heavy-duty carrying case #886778, and operating manual Shipping wt. 10 lbs.



Model 9750

TigerClaw VS Angle Tiger Saw

- Extra-heavy-duty 11.5 amp motor; electronic variable speed, 0-2,900 SPM
- Full 1-1/4" cutting stroke length
- Standard equipment: Saw,
- heavy-duty case for tool storage, blades, and operating manual Shipping wt. 14 lbs.





\$315.25 / Ea

\$291.65 / Ea

\$335.95 / Ea

\$371.25 / Ea

- Standard equipment includes: 18T bi-metal blade #45277, blade wax #44914 and operating manual
- Shipping wt. 20 lbs.

Model 97724 VS "Porta-Band" Saw Kit

Same as Model 7724 above, but with #53652 steel carrying case included Shipping wt. 32 lbs.



Model 1400

14" Abrasive Cut-Off Machine

- 15 amp, AC/DC; 3,900 RPM Capacities: 90° straight cut-5-1/4" round, 2-3/4 x 7-3/16"
- rectangle, 4-1/4 x 4-1/4" square Includes 14" abrasive wheel
- #14002, wheel wrench #1341734 and operating manual Shipping wt. 49 lbs.

\$6.25 / Ea

14" Abrasive Cutting Wheel Only General purpose, alum oxide, 14" dia., 3/32" thick, 1" arbor hole

Model 1410 14" Dry Cut Saw

#14002

15 amp; 1,300 RPM Capacities: 90° straight cut-5-1/8" round, 3-3/4 x 7



\$567.25 / Ea

- rectangle, 4-3/4 x 4-3/4" square-45°: 4-1/8" round, 3-1/4" x 4" rectangular, 3-1/2" x 3-1/2" square
 - Includes 14" premium metal cutting blade #14102,wrenches, and operating manual
 - Shipping wt. 51 lbs.

ORDER @ www.metcosupply.com - CALL 800-521-8811 FOR ITEMS NOT LISTED WE NOW OFFER DEWALT AND OLDHAM TOOLS. PLEASE CALL FOR PRICING.





- - \$217.50 / Ea

63



\$98.85 / Ea

\$58.50 / Ea

\$51.95 / Ea

Sanders/Grinders/Polishers

Model 330

Speed-Bloc Finishing Sander

- 1.2 amp motor; 14,000 pad speed (OPM)
- Paper size: 4-1/2" x 5-1/2" (1/4 Sheet); 5/64" orbit dia.
- Standard equipment includes: 120 grit abrasive sheet, clamp tool #846372, and operating manual
- Shipping wt. 5 lbs.

#13597 Replacement Pad \$4.95 / Ea (for 330 Sander)

- Industrial quality pad accepts psa abrasives
- Works with standard clamped paper

Model 340K

1/4 Sheet Palm-Grip Finishing Sander Kit

2.0 amps, AC only; 1/16" orbit; 14,000 OPM Standard equipment: 120g abrasive sheet, paper punch #878533, carrying case, and

operating manual

Shipping wt. 4 lbs.

Please call for availability. This tool has been discontinued and we have limited quantities on hand.

Model 342

1/4 Sheet Palm-Grip Finishing Sander

- 2.4 amp motor: 120 VAC, 25-60 Hz; 14,000 pad speed (OPM)
- Paper size: 4-1/2" x 5-1/2" (1/4 Sheet)
- Standard equipment includes: sander, paper punch and operating manual
- Shipping wt. 5 lbs.

Model 342K \$54.30 / Ea 1/4 Sheet Palm-Grip Finishing Sander Kit

- 2.4 amp motor; 120 VAC, 25-60 Hz; 14,000 pad speed (OPM)
- Paper size: 4-1/2" x 5-1/2" Standard equipment includes:

\$218.25 / Ea

- sander, paper punch, operating manual, and carrying case Shipping wt. 9 lbs.

(1/4 Sheet)

Model 505

Heavy Duty Finishing Sander

- 2.3 amp motor; 10,000 pad speed (OPM) Paper size: 4-1/2" x 11
- (1/2 Sheet); 1/8" orbit diameter Standard equipment includes:
- 120g abrasive sheet and operating manual
- Shipping wt. 9 lbs.

64

#13598 Replacement Pad \$7.95 / Ea (for 505 Sander)

\$128.95 / Ea

\$291.95 / Ea

\$287.95 / Ea

\$293.25 / Ea

\$293.25 / Ea

\$597.50 / Ea

- Industrial quality pad accepts psa abrasives
- Works with standard clamped paper

Model 9444 **Profile Sander Kit**

- 1.8 amp motor; 6,000 SPM speed Standard equipment: standard hook & loop sanding pad #14444, single profile mounting plate #14445, offset profile mounting plate #14446, complete set of 17 different sanding profiles, one
- sheet of each of 80, 120, 220 grit hook & loop paper, assorted profile sanding sheets, #14449 dust wand, #44444 carrying case, and
- operating manual Shipping wt. 9 lbs.

Model 360

- 3" x 24" Dustless Belt Sander 10.5 amp AC/DC motor; no load speed
- (SFPM)-1.500 Standard equipment includes: 100g ceramic aluminum oxide belt, dust bag assembly
- #39334, and operating manual Shipping wt. 20 lbs.
- Model 361

3" x 24" Belt Sander

- Same as Model 360 but without dust pick-up
- Shipping wt. 16 lbs.



Model 362

- 4" x 24" Dustless Belt Sander
 - 10.5 amp AC/DC motor; no load speed (SFPM)-1,500
- Standard equipment includes: 100g ceramic aluminum oxide belt, dust bag assembly #39334, and operating manual
- Shipping wt. 17 lbs.

Model 363

- 4" x 24" Belt Sander
- Same as Model 362 above but
- without dust pick-up Shipping wt. 16 lbs.



Model 503

- 3" x 24" Dustless Belt Sander 9 amp motor; no load speed
- (SFPM)-1,500
- Standard equipment includes 100g ceramic aluminum oxide belt, gear lubricant

#48105, dust bag assembly #39334, and operating manual

Shipping wt. 19 lbs

Please call for availability. This tool has been discontinued and we have limited quantities on hand.


WE NOW OFFER DEWALT AND OLDHAM TOOLS. PLEASE CALL FOR PRICING.

ORDER @ www.metcosupply.com - CALL 800-521-8811 FOR ITEMS NOT LISTED

Model 343 5" Random Orbit Sander

3.0 amp motor; 12,000 O.P.M.

speed; 120V, 25-60 Hz 8-hole hook & loop pad accepts



Shipping wt. 5 lbs.

Model 343K

5" Random Orbit Sander Kit

- 3.0 amp motor; 12,000 O.P.M. speed; 120V, 25-60 Hz
- 8-hole hook & loop pad accepts standard paper
- Standard equipment includes: sander, operating manual, and carrying case Shipping wt. 5 lbs.

\$63.75 / Ea


\$63.75 / Ea

Model 332

Model 333

R.O. Finishing Sander 1.7 amp motor; 12,000 O.P.M.

- speed; 4-3/4" pad size
- Standard equipment includes:



Please call for availability. This tool has been discontinued and we have limited quantities on hand.

\$77.30 / Ea

\$80.65 / Ea

Dustless R.O. Sander

- 2.4 amp motor; 12,000 O.P.M.
- speed; 4-3/4" pad size Standard equipment includes:
- 150g disc and operating manual
- Shipping wt. 4 lbs.

Please call for availability. This tool has been discontinued and we have limited quantities on hand.

Please call for availability. This tool has been

discontinued and we have limited quantities on hand.

Model 334

Model 344

adhesive pad

Shipping wt. 5 lbs.

Dustless R.O. Sander

- 2.4 amp motor; 12,000 O.P.M.
- speed; 4-3/4" pad size
- Standard equipment includes: 150g disc and operating manual

5" R.O. Sander w/PSA Pad

3.0 amp motor; 12,000 O.P.M.

speed; 120 VAC, 25-60 Hz

8-hole, 5" pressure sensitive

Standard equipment includes:

sander and operating manual

\$73.25 / Ea

\$77.30 / Ea

Shipping wt. 5 lbs.

Model 7335

- VS Random Orbit Sander-5
- 3.7 amp motor; 2500-6000 OPM speed
- Standard equipment includes: 80g, 100g, 120, 150g discs, wrench #48779, and operating manual
- Shipping wt. 8 lbs.

Model 97355 \$188.50 / Ea

- 5" VS/RO Sander w/Dust Collection Kit
- · Includes Model 7335 sander, #15000 standard hook & loop pad, #73340 dust collection hood, #39332 dust collection hose, #39335 hose adapter (1-1/2" to



\$144.95 / Ea

2-1/2"), 120 grit abrasive sheet, heavy-duty steel carrying case #47355, and operating manual

Model 7336 VS Random Orbit Sander-6

- 3.7 amp motor; 2500-6000 OPM speed
- Standard equipment includes: 80g, 100g, 120, 150g discs, wrench #48779, and operating manua
- Shipping wt. 9 lbs.

Model 97366

\$193.50 / Ea

\$511.50 / Ea

\$149.60 / Ea

- 6" VS/RO Sander w/Dust Collection Kit
- Includes Model 7336 sander, #18001 standard hook & loop pad, #73340 dust collection hood #39332 dust collection hose, #39335 hose adapter (1-1/2" to

2-1/2"), 120 grit abrasive sheet, heavy-duty steel carrying case #47355, and operating manual

Model 121 \$297.75 / Ea **Portable Oscillating Spindle Sander**

- 6 amp motor; 2400-3600
- OPM speed; 120 VAC, 25-60 Hz Standard equipment includes: sander, 2" sanding drum #1347803, 150g sanding sleeve #898152, adjustable edge
- guide assembly #895935 vacuum attachment #895318, and operating manual Shipping wt. 12 lbs.

Model 7800

- **Drywall Sander** Powerful 3.5 amp motor features serviceable brushes for less down time
- Pad size: 8-3/8" dia. Standard equipment includes: 100 grit sanding pad, 13 foot static-dissipating 1-1/4" vacuum hose, hook & loop straps for mounting power cord to vacuum hose, and operating manual
- Shipping wt. 9 lbs.

Model 7812 \$308.15 / Ea **Power Tool Triggered Wet/Dry Vacuum**

- Motor: 9 amp vacuum only, 15 amp with tool
- Vacuum comes complete with hose, hose adaptor and operating manual
- Dual filtration systemwashable automotive-type paper filter and 2-ply 10-gallon paper filter bag for dust pick-up applications
- Built-in outlet for use with power tools
- Shipping wt. 31 lbs.

Routers

Model 100 7/8 HP Router

- 6.5 amp AC/DC motor;
- speed (RPM)-22,000 1/4" standard collet
- Standard equipment includes: motor #1002, base #1001, 1/4" collet
- #42154, 2 collet wrenches #42157, and operating manual
- Shipping wt. 9 lbs.

Model 690LR 1-3/4 Peak HP Router

- 10 amp motor; speed (RPM)-23,000
- Standard collet-1/4 " & 1/2"
- Standard equipment includes: router motor #6902. base #1001. 1/4" collet #42999,1/2" collet #42950, collet wrenches #42596, and operating manual
- Shipping wt. 10 lbs.

Model 691

1-1/2 HP D-Handle Router

- 10 amp motor; speed (RPM)-23,000 Standard collet-1/4" & 1/2"; Available collet-3/8"
- Standard equipment includes: motor #6912. base #6911. 1/4" collet #42999, 1/2" collet #42950, 2 collet wrenches #42596, and operating manual
- Shipping wt. 11 lbs.

Model 693LRPK 1-1/2 HP Plunge Router Kit

Includes 1-1/2HP, 10 amp router motor, fixed router base and plunge router base, 1/4" and 1/2" collets and heavy-duty carrying case

\$222.15 / Ea



Model 8529 2 HP Plunge Router

- 12 amp AC only motor; speed (RPM): 10,000-23,000 1/4" and 1/2" collets
- Standard equipment includes: router, wrench, dust cap, and operating manual
- Micro height adjuster Shipping wt. 14 lbs.



\$ 259.25 / Ea



- Model 7519 \$366.75 / Ea Speedtronic 3-1/4 HP Production Router 15 amp motor; speed (RPM) with soft start-21,000
- Standard collet (split-type)-1/2"; Available collet (split-type)-1/4" & 3/8" Standard equipment includes:
- motor #75192, base #75361, 1/2" collet #42950, 2 collet wrenches #42596, and operating manual
- Shipping wt. 18 lbs.

Model 7518 3 1/2 HP 5 Speed Router



Shipping wt. 18 lbs.

\$401.95 / Ea



- **Model 7538** \$373.90 / Ea Speedmatic 3-1/4 HP Production Plunge Router
- 15 amp motor, speed (RPM)-21,000 with soft-start Plunging depth-3"
- Standard collet (split-type)-1/2"; Available collet (split-type)-



- 1/4" & 3/8" Standard equipment includes: 1/2" collet #42950, 2 collet wrenches #42596, and operating manual
- Shipping wt. 19 lbs.

Model 7539 \$413.25 / Ea Speedmatic 3-1/4 HP 5-Speed Production **Plunge Router**

Same features as Model 7538 plus 5-speed with soft-start 10,000, 13,000, 16,000, 19,000, and 21,000 RPM Shipping wt. 19 lbs.



65

ORDER @ www.metcosupply.com - CALL 800-521-8811 FOR ITEMS NOT LISTED WE NOW OFFER DEWALT AND OLDHAM TOOLS. PLEASE CALL FOR PRICING.















\$195.60 / Ea






\$188.50 / Ea







#5043

Magic Router Edge Guide

- For models 100, 150, 350, 536, 537, 630, 670, 690, 691, and 693 for application where critical accuracy and precision are required
- Five different operations with one guide: edge guide, radius guide, circle guide, groove guide, and edge plane

\$30.50 / Ea

\$325.50 / Ea

\$88.35 / Ea

Router Edge Guide

 For models 514, 518, 520, 7518, 7519, 7536, 7537, 7538, 7539

#42160

#42225

\$16.35 / Ea **Router Edge Guide**

For models 100, 150, 350, 630, 670, 675, 690, 693

Model 9290

19.2V Cordless Router

- 19.2V, 2.4 amp/hour battery for more power & longer run-time Interchangeable battery system
- powers drill, hammer-drill, circular saw, reciprocating saw, jig saw, router, and more
- Powerful 600 watt, 23,000 rpm motor handles most jobs that a 1-1/2 peak HP router can do
- Standard equipment: 2902 motor unit, base #1001, 1/4" collet #42999, collet wrench #42596, highcapacity battery pack #8923, advanced diagnostic charger #8924, carrying case, and operating manual
- Shipping wt. 18 lbs.

Model 698 \$175.50 / Ea **Router Table without Motor**

- Large 19-3/4" x 16-3/4" machined aluminum table with cast-in lip to support extensions
- Dust colluction hood sized for 2-1/2" hose
- Standard equipment: shaper table #698, 3/4" miter gauge #6970, and operating manual
- 12-7/8" leg height allows use of 1-1/2" to 3-1/4" HP Routers
- Shipping wt. 36 lbs.

66

#39993 Sanding/Routing Pad

Specially formulated gripping pad to hold workpiece firmly in place without clamps

Model 7310

Laminate Trimmer

- Speed-30,000 RPM; Collet 1/4"
- 5.6 amp AC/DC motor
- Standard equipment includes: motor #7301, standard trimmer base #7309, collet wrench #44745, and operating manual
- Shipping wt. 4 lbs.

#73100

Edge Guide

Use with Model 7310 Trimmer and non-piloted bits Standard equipment includes base & roller guide assembly for use with No. 44858 bit, edge guide for flush trimming with 43515 bit, edge guide for bevel trimming with 43515 bit, edge guide for straight trimming with either 44858 or 43515 bits, setting gauge, attaching screws (2), and allen wrench

Model 7312

Offset Laminate Trimmer

- Same as Model 7310 but with offset base Standard equipment includes: motor #7301, offset trimmer base #7311, collet wrench #44745, allen wrench #698110, and operating manual
- Shipping wt. 5 lbs.

Model 7319

Tilt-Base Laminate Trimmer

Same as #7310 and #7312 but with tilt hase

- Base Action (Tilt): 45° or 30°
- Base tilts 45° left and 30° right Standard equipment includes: motor #7301, tilt trimmer base #7318, solid carbide bit #43216, collet wrench
- #44745, and operating manual Shipping wt. 5 lbs.

Model 97310 Laminate Trim Kit

Contains complete trim system in one kit: Model 7301 motor, Model 7309 standard trimmer base, Model 7311 offset trimmer base, Model 7318 tilt trimmer base, Model 7307 laminate slitter sub-base, 43051 3/16" carbide-tipped bit, 43216 solid carbide bit, #73100 edge guide, 44745 and 843076 wrenches, and instruction

manuals all in a heavy-duty steel carrying case with compartments for the items listed above, plus an additional compartment for storing your laminate trimmer bits

Drywall Cutout/Heat Gun

Model 7499 **Drywall Cutout**

\$131.00 / Ea

\$18.70 / Ea

\$190.00 / Ea

- 3.4 amp motor, Speed (RPM)-28,000; 1/4" collet
- Standard equipment includes 7399 motor, 43218, 3/16" drywall cut-out bit, 43221, .115" drywall
- cut-out bit. 43224 chuck to increase .115" shank to 1/4", and operating manual Shipping wt. 4 lbs.
- Please call for availability. This tool has been discontinued and we have limited quantities on hand.

Model 1700

- Variable Temp. Heat Gun
- 14.3 amp motor; Temperature Range (F)-750°-1,000°; CFM-27 Standard equipment includes:
- stand #1258286 and operating manual Shipping wt. 4 lbs.

\$104.85 / Ea

\$112.25 / Ea

\$87.30 / Ea

Please call for availability. This tool has been discontinued and we have limited quantities on hand.

Drills

Model 2611 3/8" VSR Electric Drill

- 7.0 amp motor; Speed (RPM): 0-2.500
- Cast aluminum gear housing and magnesium bearing plate
- Precision machined and
- hardened two-stage steel gearing 100% ball and needle bearing construction
- Standard equipment: tool and operating manual
- Shipping wt. 5 lbs.

Please call for availability. This tool has been discontinued and we have limited quantities on hand.

Model 2614

- \$144.75 / Ea 1/2" Electronic VSR Kevless Drill
- 7.8 amp motor; Speed (RPM): 0-850
- Cast aluminum gear housing and magnesium bearing plate
- Precision machined and
- hardened three-stage steel gearing
- 100% ball and needle bearing construction
- Standard equipment: tool and operating manual, and keyless chuck for quick and simple bit changes
- Shipping wt. 6 lbs

Please call for availability. This tool has been discontinued and we have limited quantities on hand.

Model 9822 \$132.50 / Ea 12V Compact Cordless Drill/Driver Kit

- 12V; 3/8" keyless chuck w/220 units watts out of max power
- 2-speed gear box (0-400 and 0-1,200 RPM)
- Standard equipment: drill, two battery packs, diagnostic
- charger, carrying case, double-ended bit tip, and operating manual Shipping wt. 13 lbs.





\$7.75 / Ea





\$154.25 / Ea











Model 552 **Production Pocket Cutter**


13 amp, AC only Capacity: 1/2" through

- 15/16" thick
- Cuts 3/8" pocket Drills 9/64" pilot hole
- Standard equipment:
- 3/8" pocket cutting bit #43117, 9/64" pilot hole bit #5507, square-drive screwdriver bit #5504, collet wrenches (1) #44745, (2) #42596, 10 amp pocket router motor #6912, 5.6 amp pilot hole motor #5520
- Shipping wt. 55 lbs.

- 3/4" steel cam-action clamps
- blind/dado combo templet
- Standard equipment: dovetail jig, half-blind/dado combo templet #4211, 1/2" shank carbide-tipped dovetail bit #43776PC, templet guide #42040, lock nut #42237 and operating manual

Model 4210

- 12" Dovetail Jig
- Standard templet: half-



- 1/8" stamped steel base;
- - Max. stock width: 12", max. stock thickness: 1-1/8" Heavy-duty cam-type clamps with sandpaper-backed locking

\$112.25 / Ea

\$254.90 / Ea

\$266.00 / Ea


Model 9824 14.4V Compact Cordless Drill/Driver Kit

- 14.4V; 3/8" keyless chuck w/225 unit watts out of maximumpower
- 2-speed gear box (0-400 and 0-1,250 RPM)
- Standard equipment: drill, two battery packs, diagnostic charger, carrying case, doubleended bit tip, and operating manual
- Shipping wt. 13 lbs.

Model 9826

19.2V Compact Cordless Drill/Driver Kit


- 19.2V; 1/2" keyless chuck w/320 unit watts
- 2-speed gear box (0-450 and 0-1,450 RPM)



Shipping wt. 15 lbs.

Model 9966 \$177.50 / Ea 12V Cordless Drill/Driver Kit

- 2 amp-hour battery
- 385 in-lbs maximum torque
- Two speed-range gearbox (0-425 rpm and 0-1300 rpm)



Model 9977 \$221.50 / Ea 14.4V Cordless Hammer Drill/Driver Kit

One-hour battery charger charges

- 14.4V, keyless 1/2" ratchetinglocking steel chuck
- 420 in-lbs maximum torque Standard equipment: 14.4V hammer drill/driver, two 14.4V batteries, one-hour battery
- charger, case and operating manual

Model 9978 \$210.50 / Ea 14.4V Cordless Drill/Driver Kit

- 2 amp-hour battery
- 420 in-lbs maximum torque Two speed-range gearbox (0-450 rpm and 0-1400 rpm)
- One-hour battery charger charges Porter Cable 12V and 14.4V batteries



Fasteners/Joining Systems/ Planers

19.2V Cordless HammerDrill/Driver Kit

- Drives all commercially
- Quiet clutch; quick remove,
- Cast aluminum gear housing
- Standard equipment: tool

Model 9118 Porta-Plane Kit

- 7.0 amp motor; 120 VAC, 50-60 Hz/120 VDC; 23,000 RPM cutter speed
- Capacities: 2-13/32" max width, 3/32" max depth
- Bevel adjustment: -15 to +45
- Top-side calibrated scale; 100% ball bearings
- Standard equipment: plane, carbide-tipped spiral cutter #43263, wrench #48302, carrying case, allen wrench, and operating manual
- Shipping wt. 20 lbs









\$125.60 / Ea

\$867.75 / Ea

- Model 4630 VSR Drywall Driver 6.8 amp motor; Speed (RPM): 0-5,000 available drywall screws

 - "set and forget" depth memory nosepiece
 - and magnesium bearing plate
 - 100% ball and needle bearing construction
 - and operating manual
 - Shipping wt. 5 lbs.



\$177.00 / Ea

Model 9984

Model 9987

2.4 amp-hour battery

470 in-lbs maximum torque

Two speed-range gearbox

19,500 maximum blows

Side handle for control in

demanding applications

(0-500 rpm and 0-1500 rpm)

per minute in hammerdrill mode

One-hour universal battery charger

2.4 amp-hour battery

470 in-lbs maximum torque

Two speed-range gearbox

Side handle for control in

demanding applications

(0-500 rpm and 0-1500 rpm)

19.2V Cordless Drill/Driver Kit

One hour universal battery charger

\$342.75 / Ea

Model 5116

16" Omnijig Dovetail Machine

- Construction base: precision machined 5/8" cast aluminum
- Clamps: cam action 1-1/4"steel 16" maximum stock width; 1"
- maximum stock thickness
- Standard templet-1/2" halfblind dovetail; Standard Bit-1/2" Dovetail
- 7/8 HP minimum router size
- Standard equipment includes: templet for 1/2" blind dovetails #5117, 1/2" dovetail bit #43640, templet guide #42046, lock nut #42237, 2 spacers #699418, and operating manual
- Shipping wt. 60 lbs.

Model 7216

\$448.25 / Ea

- 24" Omnijig Dovetail Machine
- Same as Model 5116
- but wider 24" capacity Shipping wt. 65 lbs.



Model 557

Deluxe Plate Joiner Kit

- 7.5 amp motor; Blade speed-10,000 RPM
- Include 2" and 4" dia. blades for standard and face -frame biscuits




- Fence tilts from 0-135 degree with positive adjustment stop at 90 degree
- Standard equipment includes: 2" blade #5559, 4" blade #5558, spanner wrench #48233, dust bag #883175, carrying case, centering plate #888776, chip deflector #886490, and operating manual
- Shipping wt. 15 lbs.

68

Plate Joining Biscuits

#5551	\$24.95 / Box
"0" (16mm x 47mm), 1000/	box
#5552	\$24.95 / Box
"10" (20 mm x 52 mm), 100)0/box
#5553	\$24.95 / Box
"20" (24 mm x 58 mm), 100)0/box
#5554	\$24.95 / Box
Contains 500 of size "20", 2	250 of size "10"
and 250 of size "0" biscuits	i i

Brad Nail Cross Reference Chart



Nailer Kits

Model BN125A

- 18 Ga. 1-1/4" Brad Nailer Kit
- Fastener range: 5/8" to 1-1/4" Height: 7-9/16"; Length: 9-1/2"
- Standard equipment: Basic tool, 1/4" NPT male quick coupler with dirt and dust cover, rugged carrying case, 1,000 brads, safety glasses, air tool oil, hex wrenches for adjustments, instruction manual with exploded drawing and parts list
- Shipping wt. 8 lbs.

Model BN200A 18 Ga. 2" Brad Nailer Kit

- Fastener range: 3/4" to 2"
- Height: 9-1/2"; Length: 9-3/4" Standard equipment: Basic tool, 1/4" NPT male quick coupler with dirt and dust cover, rugged carrying case, 1,000 brads, safety glasses, air tool oil, hex wrenches for adjustments, instruction manual with



exploded drawing and parts list Shipping wt. 9 lbs.

18 Ga. Brad Nails

For Model BN125 only: BN18063, 5/8", 5000/bx BN18063-1, 5/8" 1000/bx

\$4.55 / Box \$1.50 / Box

For both Models BN125 and BN200:

BN18075, 3/4", 5000/bx \$4.75 / Box \$1.55 / Box BN18075-1, 3/4", 1000/bx

BN18100, 1", 5000/bx \$5.25 / Box BN18100-1, 1", 1000/bx \$1.65 / Box

BN18119, 1-3/16", 5000/bx \$6.20 / Box

BN18125, 1-1/4", 5000/bx \$6.60 / Box BN18125-1, 1-1/4", 1000/bx \$1.95 / Box

For Model BN200 only:

BN18150, 1-1/2", 5000/bx	\$7.55 / Box
BN18156, 1-9/16", 5000/bx	\$8.00 / Box
BN18175, 1-3/4", 5000/bx	\$8.65 / Box
BN18200, 2", 5000/bx BN18200-1, 2", 1000/bx	\$9.15 / Box \$2.50 / Box

Model FN250B 16Ga. 2-1/2" Finish Nailer Kit

Uses standard 16 ga. finish

- nails from 3/4" to 2-1/2" long Special hardened driver blade
- Depth-of-drive adjustment to match application
- Standard equipment: nailer,



\$204.20 / Ea

case, box of 1,000 finish nails, 1/4" plug with cap, oil, and operating manual

16 Ga. Finish Nails FN16075, 3/4", 2500/bx	\$5.35 / Box
FN16100, 1", 2500/bx FN16100-1, 1", 1000/bx	\$5.45 / Box \$3.15 / Box
FN16125, 1-1/4", 2500/bx FN16125-1, 1-1/4", 1000/bx	\$5.90 / Box \$3.40 / Box
FN16150, 1-1/2", 2500/bx FN16150-1, 1-1/2", 1000/bx	\$6.20 / Box \$3.90 / Box
FN16175, 1-3/4", 2500/bx	\$6.80 / Box
FN16200, 2", 2500/bx FN16200-1, 2", 1000/bx	\$8.00 / Box \$4.35 / Box
FN16250, 2-1/2", 2500/bx FN16250-1, 2-1/2", 1000/bx	\$9.20 / Box \$5.30 / Box

Model FC350A

\$282.75 / Ea 3-1/2" Clipped Head Framing Nailer Kit

Uses standard 30 degree to 34 degree paper-tape collated clipped head stick nails from .113" x 2" to .131" x 3-1/2"



- Barbed nose for easy toe nailing-also includes rubber foot pad sheathing and decking
- Standard equipment: nail, er carrying case, 1/4" air fitting with dust cover, oil, and operating manual

Clipped Head Smooth Shank Nails

FC13200	\$40.10 / Box
.113 x 2" x 34° - 5000/bx	
FC13238	\$41.70 / Box
.113 x 2-3/8" x 34° - 5000/b	х
FC20300	\$26.50 / Box
.113 x 3" x 34° - 2,500/bx	
FC20325	\$30.50 / Box
.120 x 3-1/4" x 34° - 2,500/b)X
FC31300	\$31.25 / Box
.131 x 3" x 34° - 2,500/bx	
FC31325	\$30.45 / Box
.113 x 3-1/4" x 34° - 2,500/b	X
FC31350	\$34.45 / Box
.113 x 3-1/2" x 34° - 2,500/k)X



\$273.50 / Ea



\$107.80 / Ea

\$95.20 / Ea







